

Company Profile
Trading &
Material

"Inspiring Confidence"



Value Power











Our Major **Brands**

Al-Falah Trading & Materiel deals with the supply of Genuine Pans like Pistons, Rings, Liners, Bearings, Valves, Gaskets, Pumps, Oil Seal S Thermostats. Genuine Parts is a UK based company & deals in the supply of Quality Replacement Diesel Engine Parts for Cummins, Caterpillar & Perkins. Today Genuine Parts is well recognized for providing quality parts, excellent service and on time delivery. Genuine Parts credits this success to its culture of Customer Satisfaction by exceeding the Customer Expectation, through continuous improvement and commitment to excellence, integrity, and teamwork.



APPLIANCES FOR PROJECT DIVISION AS A PROJECT DISTRIBUTOR



SMART TV 50"



SMART LED TV 43"



TOASTER 4



WATER DISPENSER SLICE WITH GRILL PLATE WITH REFRIGERATOR



ELECTRIC KETTLE 1.7LTRS



MICROWAVE OVEN 23L



WATER DISPENSER TABLE TOP



BAR FRIDGE SILVER



REFRIGERATOR 91LS - BASIC



FROST REFRIGERATOR WHITE



COFFEE MAKER 1.5LTRS



195 Ltr Single Door Refrigerator









KATKO SWITCH

COFFEE MAKER 1.5LTRS

65" UHD SMART TV

50" UHD 4K SMART TV







UHD 4K TV 55 inch UP75 Series,

65" UHD TV

UHD 4K TV 55 inch



Electrical Commercial & Industrial Materials










Electrical & Instrumentation














Electrical Pumps & Tools









Aerosols, Coatings Wire Pulling Lubricants & Adhesives















Scaffolding Items & Fittings









Mechanical & Civil Construction Materials













Safety Items











Furniture:

















Recreational Items:





Miscellaneous Items

























SAFETY SWITCH



Data subject to change without notice. Always confirm the data is correct from the seller.

KEM 325U

KEM Polycarbonate 10-630A

- IP66; Enclosure tpes U2, U3, U4
- IP65; Enclosure tpes MF1 1, MF03, MF04
- Self-extinguishing material
- Wide operating temperature range
- Padlockable with 3 locks
- Door interlock with defeat mechanism
- Excellent insulating properties
- Good UV resistance
- Good resistance against many chemicals
- Tested according to IEC 60947-3
- Note! Al-cables cannot be connected directly to switch terminals. For Alcable connection please use a bimetal cable connector, available here.

KEM 16-40 A Installation guide video >>

KEM 63-80 A Installation guide video >>

Technical datasheet >>

Accessories








Product details

SKU	KEM 325U
AC-21 400/415 V (A)	40 A
AC-21 690 V (A)	40 A
AC-22 400/415 V (A)	25 A
AC-22 690 V (A)	25 A
AC-23 400/415 V (A/kW)	25 A / 11 kW
AC-23 690 V (A/kW)	25 A / 22 kW
Cable Area to Switch Terminal (mm2) / Bolt size	1.5-16
Color	Standard
EAN	6419410327685
Enclosure	U2
Enclosure Type	Pol ÿ arbonate
IP Rating	66
Number of Poles	3
Operation	Front-operated
Switch type	Load Break Switch
Weight (kg)	0.4

Dimensional drawing





Al-Falah Jubail Trading. Est

Get in Touch with us

Post Box no.2758 Jubail-31951, Kingdom of Saudi Arabia

Tel: +966 58 159 9740 | +966 59 614 6976

Email: sales@alfalahksa.com Website: www.alfalahksa.com